TC8300 Touch Computer



The revolutionary enterprise touch computer with the ultimate Android[™] platform

We took the TC8000, the world's most revolutionary enterprise touch computer design, and made it better. You get the same innovative ergonomic design that minimizes motion to deliver a 14 percent boost in worker productivity. We added the ultimate in processing power and memory to give your workers the lightning-fast application performance they expect. The latest in WiFi[™] and Bluetooth[®] technology provides your workers with the fastest and most dependable wireless device and peripheral connections, maximizing availability—and value. Comprehensive data capture options let you capture it all—barcodes, direct part marks, entire forms and more. And when it comes to Android, the TC8300 simplifies every aspect of deploying Android in your warehouse—including migration and security as well as control over updates and Google Mobile Services.



Get the Ultimate Android Platform

Android for Instant Familiarity

You get all the benefits of the latest version of Android, and your workers get a device they already know how to use—virtually eliminating training time and adoption curves.

Maximum Power for Maximum Application Performance

Get all the power you need to ensure superior performance on all your voice and data apps with the ultra-powerful 8-core processor, plus up to eight times the RAM and 32 times the Flash memory of the prior generation TC8000.

Instantly Migrate Your TE Apps to Android, Right Out of the Box

With the TC8300, your users can simply use your existing TE apps—no backend modification or user training required. When you're ready, you can easily turn your 'green screens' into Android touch-centric intuitive screens that boost productivity with All-touch Terminal Emulation (TE)—no coding required.

Longer WiFi Range and Speed—With Less Power

2x2 Multiple-User Multiple Input Multiple Output (MU-MIMO) technology allows access points to communicate with multiple devices simultaneously via pinpoint beamforming, boosting WiFi network capacity, speed and range. And processing is shifted from the mobile device to the access point, extending battery cycle time.

Bluetooth 5.0—Twice the Speed, Four Times the Range, Less Power

Get better performance from your Bluetooth printers, headsets and more, while using less power for longer battery cycle times.

Triple-Shift Battery Power and Unsurpassed Battery Management With the most battery power in this class, the TC8300 can run for three consecutive shifts without a battery change.¹ And extensive battery metrics that make it easy to spot and retire aging batteries that can no longer hold a full charge.



The TC8300—take worker productivity, comfort, ease of use and device manageability to the next level with the next evolution in warehouse mobility. For more information, visit www.zebra.com/tc8300

A Lifetime Security Guard for Android

With LifeGuard[™] for Android[™], you get the security updates you need to keep your Zebra Android devices secure every day they are in service—along with easy end-to-end control of the OS update process, plus support for future versions of Android.

Provide the Ultimate User Experience

Superior Ergonomics for Superior Productivity and Comfort

The innovative scan angle eliminates the constant tilting that traditional designs require to view the screen and enter data, increasing productivity by 14% through a 55% reduction in wrist motion and a 15% reduction in muscle effort.

Flawless Capture of Every Barcode

Give your workers first-time every-time capture of virtually any barcode in any condition with our advanced scan engines. And with five options, there is a scan engine that is perfect for your apps. The SE4850 Extended Range Imager allows you to scan 1D and 2D barcodes over an unmatched range—from 3 in./7.62 cm to 70 ft./21.4 m away—up to 60% closer and 35% farther than the competition. The industry-leading field of view enables the capture of wide 4 in./ 10.16 cm wide barcodes as close as 7 in./17.78 cm—nearly one third of the distance of competitive devices. Our SE4770 and SE4750 MR imagers are ideal for standard and mid-range scanning. The SE4750 DPM enables dependable lightning-fast capture of virtually every direct part mark.

The Ultimate Rugged Design for the Ultimate Dependable Operation

The TC8300 is built for day-in day-out operation in even the most challenging warehouse environments. With our most extreme impact ratings, the TC8300 continues to run, even after 2,000 consecutive tumbles and multiple 8 ft./2.4 m drops to concrete. This dustproof device can also handle jetting water, refrigerated storage areas and constant temperature swings between extreme heat and subzero cold—ideal in outside yards. And Corning Gorilla Glass brings maximum scratch-and-impact resistance to two of the most vulnerable device components—the touchpanel and scanner exit window.

Industry-First Hands-Free Proximity Scanning with a Handheld Device

The proximity sensor automatically triggers scanning, whether the TC8300 is worn on the hip or shoulder strap or placed in a cart or on a desktop. Two modes are available—close-up scanning from near contact to 6 in./15 cm and from contact to 1.96 ft./60 cm.

Advanced Touchscreen Technology for Flexible Data Input

Give your workers the best touchscreen experience. The 4 in. display offers plenty of space for graphics-intensive intuitive applications. Users can interact with applications with a finger—even with a glove—or a stylus.

Capture Multiple Barcodes and Entire Forms with a Single Scan

SimulScan makes it easy to capture labels on boxes and pallets that contain many barcodes, plus text fields.

Ultra High-Resolution Photos, Videos and More

With the new optional 13 MP color rear camera, workers can capture detailed photos and videos to document proof of condition, proof of compliance and more.

Drive Workforce Productivity and Device Value to a New Level with Powerful New Mobility DNA Apps— Only From Zebra

WorryFree WiFi—Dependably Superior WiFi, Delivered

Provide every worker with the best possible WiFi connection, every minute of every shift. This complimentary Mobility DNA tool delivers near instant application response times, unmatched roaming performance, plus exceptional voice quality and network diagnostics—everything you need to leverage your WiFi network to increase workforce productivity and better serve customers.

PowerPrecision Console—Prevent Aging Batteries From Reducing Workforce Productivity

This no-cost PC-based Mobility DNA solution provides an easy-toread dashboard that allows you to quickly identify and remove aging batteries from your battery pool—before they impact workforce productivity and your operations.

End-to-End Revolutionary Control of the Update Process

Updating your enterprise-class Android mobile devices is often time-consuming, costly, complex and difficult to track. Now you can do it all with LifeGuard Analytics—free with your Zebra OneCare Support contract. View available updates, the update priority level and which devices are eligible for the update. Automatically update your devices over the air with the press of a button. And easily monitor and manage the status of updates in real time.

Easily Manage Access to Google Mobile Services (GMS)

StageNow's new Restricted Mode delivers an industry first—an easy way to simply click to deactivate Google Mobile Services (GMS) that come standard with the operating system—and reactivate should you need them down the road. StageNow, a Mobility DNA solution, is complimentary and pre-loaded on every TC8300.

Specifications

| Physical Characte | eristics |
|----------------------------------|--|
| Dimensions | 9.17 in. L x 2.99 in. W x 2.52 in. D 233 mm L x 76 mm W x 64 mm D |
| Weight | Base: 17.2 oz./490 g; Package 1: 17.6 oz./500 g |
| Display | 800 x 480 pixels; 4.0 in. diagonal; transflective LCC display; 16.7 Million (24-bit) color support; 400 NITs |
| Touch Panel | Multi-touch projected capacitive; fingertip (bare or gloved) input; conductive stylus supported (sold separately); Corning® Gorilla® Glass |
| Power | PowerPrecision+ Lithium ion 7000 mAh with hot swap battery backup |
| Notifications | Audible tone, multi-color LEDs, vibration |
| Keypad | On-screen keypad |
| Voice and Audio | Dual speakers, Bluetooth wireless headset support |
| Performance Cha | racteristics |
| CPU | Qualcomm Snapdragon™ 660 octa-core 2.2 GHz |
| Operating System | Android 11; upgradeable to Android 14 |
| Memory | Base, Condensation Resistant, DPM and Package 1 models: 4 GB RAM/32 GB Flash pSLC |
| Storage | SDXC compliant micro SD card slot |
| App Development | EMDK available through Zebra Support Central Web site |
| User Environmen | t |
| Operating Temp. | -4° F to 122° F/-20° C to 50° C |
| Storage Temp. | -40° F to 158° F/-40° C to 70° C |
| Humidity | 5% - 95% non condensing (condensing resistant optional) |
| Drop Spec. | Multiple 8 ft./2.4 m drop to concrete at room temperature per MIL-STD 810G; multiple 6 ft./1.8 m drop to concrete across full operating temperature range |
| Tumble Spec. | 2,000 3.3 ft./1 m tumbles |
| Sealing | IP65 |
| Vibration | 4 g's PK Sine (5 Hz to 2 kHz); 0.04 g 2/Hz Random (20 Hz to 2 kHz) |
| Thermal Shock | -40° F to 158° F/-40° C to 70° C rapid transition |
| Scanner Window | Corning [®] Gorilla [®] Glass |
| Electrostatic Discharge (ESD) | ±20kVdc air discharge; ±10kVdc direct discharge; ±10kVdc indirect discharge |
| Data Capture | |
| Scanning Options | SE4750: 1D/2D medium range omnidirectional imager SE4770: 1D/2D standard range omnidirectional imager SE4750 DPM: Direct Part Mark (DPM) imager SE4850: 1D/2D extended range imager |
| Camera | 13 MP rear facing autofocus, f/2.4 aperture (optional) |
| NFC | Tap to Pair, ISO 14443 Type A and B, Felica and ISO 15693 cards, P2P mode and Card Emulation via Host (HCE) support (optional) |

Host (HCE) support (optional)

Zebra Interactive Sensor Technology

| | 5, |
|----------------------------|--|
| Light Sensor | Automatically adjusts display backlight |
| Motion Sensor | 3-axis accelerometer, 3-axis gyroscope |
| Proximity | Sensor for automatic hands-free scanning; magnetic sensor to detect insertion in a cart mount or holster |
| Wireless LAN | |
| Radio | IEEE 802.11a/b/g/n/ac/d/h/i/r/k/w; 2x2 MU-MIMO |
| Data Rates | 5GHz: 802.11a/n/ac—up to 866.7 Mbps 2.4GHz: 802.11b/g/n—up to 300 Mbps |
| Operating Channels | Chan 36 - 165 (5180 - 5825 MHz); Chan 1 - 13 (2412 - 2472 MHz); Actual operating channels/frequencies depend on regulatory rules and certification agency |
| Security and Encryption | WEP, WPA-TKIP, WPA2-TKIP, WPA2-TKIP AES EAP TTLS, PAP, MSCHAP, MSCHAP v2, PEAPv0- MSCHAPv2, PEAPv1-EAP-GTC, EAP-TLS, EAP-FAST, LEAP, FIPS 140-2 Level 1: Data in Motion and Data at Rest |
| Multimedia | Wi-Fi Multimedia™ (WMM) |
| Certifications | WFA (802.11n, WMM-PS, 802.11ac, PMF, WMM-AC, Voice Enterprise, WiFi Direct and WPS 2.0) |
| Fast Roam | PMKID caching, Cisco CCKM, OKC, 802.11r |
| Network Connections | Bluetooth; USB 2.0 OTG Host docking interface; 802.11r and 802.11k for enterprise voice roaming included |
| Wireless PAN | |
| Bluetooth | Class 2, Bluetooth v5.0, Bluetooth Low Energy (BLE) |
| Device Approvals a | nd Compliance |
| TAA (| |

 TAA (optional on select configurations)
 Trade Agreement Act optional on select configurations Compliant, FIPS 140-2 (DIM and DAR) support; FIPS 140-2 Level 1: Data in Motion

and Data at Rest

Markets and Applications

Transportation and Logistics

- Receiving/put-away
- Inventory management
- Returns processing
- Cross dock
 operations
- EDI transactions/ picking

Manufacturing

- Inventory management
- Supply-line replenishment
- Safety testing
- Quality control audits
- Parts tracking/track and trace)

Retail

- Retail/Inventory management
- Price audits/changes
- Back of store order fulfillment
- Store receiving

Warehouse

- Cold Chain:Receiving/putaway
- EDI transactions/
- picking • Inventory
- management
- Supply-line replenishment
- Safety testing
- Quality control audits

Specifications

Environmental Compliance

Environment

RoHS Directive 2011/65/EU; Amendment 2015/863

• REACH SVHC 1907/2006

A complete list of product and materials compliance, please visit: www.zebra.com/environment

Warranty

Subject to the terms of Zebra's hardware warranty statement, the TC8300 is warranted against defects in workmanship and materials for a period of 1 (one) year from the date of shipment. For complete warranty statement, go to: http://www.zebra.com/warranty

Recommended Services

Zebra OneCare Essential and Select: Maximize Zebra device availability, device value and operational efficiency with these fully-featured support services that set the industry bar for support.

Zebra Visibility Services—Asset Visibility Services (AVS) and Operational Visibility Service (OVS): Options on any Zebra OneCare support contract, these services deliver the device management data needed to take device uptime, operational efficiency and return on investment to the next level.

Footnotes

1. Based on typical user profiles.

For details related to Common Criteria support, please visit: www.zebra.com/commoncriteria

Mobility DNA

Mobility DNA solutions help you get more value out of our mobile computers by adding functionality as well as simplifying deployment and management of our mobile devices. Mobility DNA is available on Android only. Features may vary by model and a Support Contract may be required. For more information on these Zebra-only features and for the most recent list of supported apps, please visit: https://developer.zebra.com/mobilitydna





NA and Corporate Headquarters +1 800 423 0442 inquiry4@zebra.com Asia-Pacific Headquarters +65 6858 0722 contact.apac@zebra.com EMEA Headquarters zebra.com/locations contact.emea@zebra.com Latin America Headquarters zebra.com/locations la.contactme@zebra.com

ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. Android is a trademark of Google LLC. All other trademarks are the property of their respective owners. ©2022 Zebra Technologies Corp. and/or its affiliates. 08/09/2022.